



POLIRAN ETTESAL

Soil and Waste

Push Fit

polypropylene

DIN 19560

Flame Retardant





POLIRAN ETTESSAL

Central Office:

Polian Bldg.
No. 17, Zagros St.
Arjantin Sq.
Tehran 15160-43311- IRAN
Tel.: (98 21) 88 64 88 00 (30 Line)
Fax: (98 21) 88 64 88 34 - 36

Management Dept.:

Tel.: (98 21) 88 64 88 40 - 43
Fax: (98 21) 88 64 88 45

www.polian.org

More about Poliran's **Push fit** system

*High Quality and perfect sealing for lifetime
is what you can expect from
Poliran's Push-Fit System.*



Appearance

Pipes

The pipes are manufactured in lengths with a sliding socket joint, one-end (EM) or cut length socket at both ends (DM).

Fittings

Fittings are manufactured in socket joint and spigot.

Dimensions

The dimensions of both pipe and fitting comply with the requirements of DIN 19560.

Color

The pipe and fittings are uniformly grey color in accordance with DIN 19560.

Sealing Rings


Sealing rings of all components of the push fit system are made by manufacturers for elastomers in Germany.

They are proven universally in sewage, complying with DIN EN 1401-1.


• Ring Seal Socket / Spigot Pipes

Normal Diameter (mm)	Length (cm)	Code
40	30	700 - 040 - 03
	50	700 - 040 - 05
	100	700 - 040 - 10
	200	700 - 040 - 20
	300	700 - 040 - 30
50	30	700 - 050 - 03
	50	700 - 050 - 05
	100	700 - 050 - 10
	200	700 - 050 - 20
	300	700 - 050 - 30
70	30	700 - 070 - 03
	50	700 - 070 - 05
	100	700 - 070 - 10
	200	700 - 070 - 20
	300	700 - 070 - 30
100	30	700 - 100 - 03
	50	700 - 100 - 05
	100	700 - 100 - 10
	200	700 - 100 - 20
	300	700 - 100 - 30
125	30	700 - 125 - 03
	50	700 - 125 - 05
	100	700 - 125 - 10
	200	700 - 125 - 20
	300	700 - 125 - 30
160	30	700 - 160 - 03
	50	700 - 160 - 05
	100	700 - 160 - 10
	200	700 - 160 - 20
	300	700 - 160 - 30



Short Elbow 87°


Nominal Diameter (mm)	Code	Angle (°)	Z (mm)	L (mm)	LT (mm)
40	732 - 040 - 87	87°	23	80	106
50	732 - 050 - 87	87°	28	84	117
70	732 - 070 - 87	87°	42	94	144
100	732 - 100 - 87	87°	59	131	199
125	732 - 125 - 87	87°	60	134	209

Long Elbow 87°

Nominal Diameter (mm)	Code	Angle (°)	Z (mm)	L (mm)	LT (mm)
50	832 - 050 - 87	87°	28	84	167
70	832 - 070 - 87	87°	42	94	204
100	832 - 100 - 87	87°	59	131	268
125	832 - 125 - 87	87°	60	134	319

Elbow 67°

Nominal Diameter (mm)	Code	Angle (°)	Z (mm)	L (mm)
50	732 - 050 - 67	67°	28	77
100	732 - 100 - 67	67°	39	122

Elbow 45°


Nominal Diameter (mm)	Code	Angle (°)	Z (mm)	L (mm)
40	732 - 040 - 45	45°	9	63
50	732 - 050 - 45	45°	17	87
70	732 - 070 - 45	45°	18	92
100	732 - 100 - 45	45°	36	115
125	732 - 125 - 45	45°	38	129
160	732 - 160 - 45	45°	33	115

Elbow 30°


Nominal Diameter (mm)	Code	Angle (°)	Z (mm)	L (mm)
50	732 - 050 - 30	30°	9	68
70	732 - 070 - 30	30°	11	80
100	732 - 100 - 30	30°	18	100

Elbow 15°


Nominal Diameter (mm.)	Code	Angle (°)	L1 (mm.)	L2 (mm.)	Z (mm.)
100	732 - 100 - 15	15°	24	101	

Tee 87°


Nominal Diameter (mm.)	Code	Angle (°)	L1 (mm.)	L2 (mm.)	Z (mm.)
50	714 - 050 - 87	87°	117	91	26
70	714 - 070 - 87	87°	158	115	40
100	714 - 100 - 87	87°	184	124	60

Tee 45°


Nominal Diameter (mm.)	Code	Angle (°)	L1 (mm.)	L2 (mm.)	Z (mm.)
40	714 - 040 - 45	45°	114	95	10
50	714 - 050 - 45	45°	133	116	12
70	714 - 070 - 45	45°	183	159	18
100	714 - 100 - 45	45°	224	195	25
125	714 - 125 - 45	45°	262	234	28
160	714 - 160 - 45	45°	383	266	35

Reducer Tee 45°


Nominal Diameter (mm.)	Code	Angle (°)	L1 (mm.)	L2 (mm.)	Z (mm.)
70/50	070 - 050 - 45	45°	180	136	8
100/50	100 - 050 - 45	45°	140	138	-17
100/70	100 - 070 - 45	45°	188	186	-1
125/100	125 - 100 - 45	45°	296	205	28
160/100	160 - 100 - 45	45°	320	235	35

Reducer Tee 87°


Nominal Diameter (mm.)	Code	Angle (°)	L1 (mm.)	L2 (mm.)	Z (mm.)
70/50	070 - 050 - 87	87°	112	89	28
100/50	100 - 050 - 87	87°	122	110	33

Level Invert Reducer

Nominal Diameter (mm)	Code	L (mm)	Z (mm)
50/40	713 - 050 - 40	10	66
70/50	713 - 070 - 50	19	73
100/50	713 - 100 - 50	37	93
100/70	713 - 100 - 70	22	87
125/100	713 - 125 - 10	16	95
160/125	713 - 160 - 12	59	126

Access Tee 90°

Nominal Diameter (mm)	Code	Angle (°)	L (mm)	Z (mm)
70	715 - 070 - 90	90°	160	65
100	715 - 100 - 90	90°	58	179
125	715 - 125 - 90	90°	130	203

Double Branch 67°

Nominal Diameter (mm)	Code	Angle (°)	Z1 (mm)	Z2 (mm)	Z3 (mm)	Z4 (mm)	L (mm)
100	717 - 100 - 67	67°	40	85	85	85	201

Coupling

Nominal Diameter (mm)	Code	L (mm)
40	712 - 040 - 00	145
50	712 - 050 - 00	150
70	712 - 070 - 00	153
100	712 - 100 - 00	158
125	712 - 125 - 00	162
160	712 - 160 - 00	198

Socket Plug

Nominal Diameter (mm)	Code	L (mm)
40	781 - 040 - 00	41
50	781 - 050 - 00	375
70	781 - 070 - 00	41
100	781 - 100 - 00	385
125	781 - 125 - 00	45
160	781 - 160 - 00	45

Inspection Chamber



Nominal Diameter (mm)	Code
100	751 - 100 - 00
125	751 - 125 - 00
160	751 - 160 - 00

Clean Out




Nominal Diameter (mm)	Code	L (mm.)	L1 (mm.)
50	716 - 050 - 00	97	147
70	716 - 070 - 00	100	156
100	716 - 100 - 00	80	140
125	716 - 125 - 00	90	148
160	716 - 160 - 00	100	154

Trap Adaptor



Nominal Diameter (mm)	Code
50	755 - 050 - 00
100	755 - 100 - 00

Trap



Size (mm.)	Code
50	753 - 050 - 00
70	753 - 070 - 00
100	753 - 100 - 00

Vent Terminator



Nominal Diameter (mm)	Code
50	756 - 050 - 00
70	756 - 070 - 00
100	756 - 100 - 00
125	756 - 125 - 00
160	756 - 160 - 00

Pipe Clip



Description	Size (mm.)	Code
Under Ceiling Clip	40	086 - 040 - 01
	50	086 - 050 - 01
	75	086 - 075 - 01
	110	086 - 110 - 01
	125	086 - 125 - 01
	160	086 - 160 - 01



Description	Size (mm.)	Code
Wall Clip	50	086 - 050 - 00
	75	086 - 075 - 00
	110	086 - 100 - 00
	125	086 - 125 - 00
	160	086 - 160 - 00

Pipe Clip System

Poliran's pipe clip system is designed for general use both vertical (on walls) and horizontal (under ceiling) positions. All clips are made of polymer coated stainless steel and available for pipe with ND: 40-160 mm.

The system is developed to:

- Ensure secure and accurate installation.
- Prevent noise transmission.
- Eliminate vibrations.
- Make bolt and nut fixing easy and simple (nuts are fixed on the clips)

Trap Connector



Rubber Connector



Nominal Diameter (mm)	Code
50	770 - 050 - 10
50	771 - 050 - 10
50	772 - 050 - 10
50	772 - 050 - 15
50	773 - 050 - 10
50	773 - 050 - 15

Nominal Diameter (mm)	Code
50	760 - 050 - 00

Pipe Cutter



Nominal Diameter (mm)	Code
40 - 50	405 - 002 - 00
50 - 125	405 - 005 - 00

Pipe Chamfering Tool



Nominal Diameter (mm)	Code
40 - 160	400 - 160 - 40

Easy Grip



Stopper



Nominal Diameter (mm)	Code
40 - 160	410 - 160 - 40

Nominal Diameter (mm)	Code
70	415 - 070 - 00
100	415 - 100 - 00
125	415 - 125 - 00

Pipe Cutter and Chamfering Tool



Nominal Diameter (mm)	Code
40 - 125	450 - 040 - 125



• Ring Seal Double Socket Pipes

Nominal Diameter (mm.)	Length (cm.)	Code
40	50	702 - 040 - 05
	100	702 - 040 - 10
	200	702 - 040 - 20
	300	702 - 040 - 30
50	50	702 - 050 - 05
	100	702 - 050 - 10
	200	702 - 050 - 20
	300	702 - 050 - 30
70	50	702 - 070 - 05
	100	702 - 070 - 10
	200	702 - 070 - 20
	300	702 - 070 - 30
100	50	702 - 100 - 05
	100	702 - 100 - 10
	200	702 - 100 - 20
	300	702 - 100 - 30
125	50	702 - 125 - 05
	100	702 - 125 - 10
	200	702 - 125 - 20
	300	702 - 125 - 30
160	50	702 - 160 - 05
	100	702 - 160 - 10
	200	702 - 160 - 20
	300	702 - 160 - 30